



POWER MILLING CHUCK

- Very high clamping force and High stability improving surface quality and tool life time.
- Optimised design resulting in Ideal damping characteristics and low vibration.
- Radial run-out less than 0.01mm.
- For clamping cutting tools with cylindric shank tolerance h6
- Flexible clamping range by using reducing sleeve for various tool shank.
- Reducing sleeve ,Coolant pipe and coolant pipe wrench optional.



POWER MILLING CHUCK SET

Each set including 1pc each of HSK63A-C32-115 power milling chuck, C32-8,C32-10,C32-12,C32-16, C32-20,C32-25 (internal dia:8,10,12,16,20,25mm) reducing sleeve and wrench,pack in strong alu. box.



ORDER NO.111-03-S04

Order No.	Model	Shank	for Collets	Size(mm)			
				Dh	dm	D	L
111-03-401	HSK63A-C20-105	HSK-A63	C20	63	20	52	105
111-03-402	HSK63A-C25-110	HSK-A63	C25	63	25	62	110
111-03-403	HSK63A-C32-115	HSK-A63	C32	63	32	72	115
111-03-601	HSK100A-C20-110	HSK-A100	C20	100	20	52	110
111-03-602	HSK100A-C25-115	HSK-A100	C25	100	25	62	115
111-03-603	HSK100A-C32-120	HSK-A100	C32	100	32	72	120
111-03-604	HSK100A-C42-120	HSK-A100	C42	100	42	87	120

Optional accessories:

Coolant tubes	Dh=63	Dh=100	
	Model	TU-HSK63	TU-HSK100
	Order No.	100-00-001	100-00-002

Coolant tube Wrench	Dh=63	Dh=100	
	Model	W-HSK63	W-HSK100
	Order No.	100-00-003	100-00-004

REDUCING SLEEVE FOR POWER MILLING CHUCK

- For drill,milling,reaming. • Radial run-out less than 0.01mm
- For clamping cutting tools with cylindric shank tolerance h6



Order No.	Model	Size (mm)			Order No.	Model	Size (mm)		
		dm	D	L			dm	D	L
100-03-001	C20-3	3	20	55	100-03-020	C32-6	6	32	65
100-03-002	C20-4	4	20	55	100-03-021	C32-8	8	32	65
100-03-003	C20-5	5	20	55	100-03-022	C32-10	10	32	65
100-03-004	C20-6	6	20	55	100-03-023	C32-12	12	32	65
100-03-005	C20-8	8	20	55	100-03-024	C32-14	14	32	65
100-03-006	C20-10	10	20	55	100-03-025	C32-16	16	32	65
100-03-007	C20-12	12	20	55	100-03-026	C32-18	18	32	65
100-03-008	C20-14	14	20	55	100-03-027	C32-20	20	32	65
100-03-009	C20-16	16	20	55	100-03-028	C32-25	25	32	65
100-03-010	C25-4	4	25	60	100-03-029	C42-6	6	42	70
100-03-011	C25-5	5	25	60	100-03-030	C42-8	8	42	70
100-03-012	C25-6	6	25	60	100-03-031	C42-10	10	42	70
100-03-013	C25-8	8	25	60	100-03-032	C42-12	12	42	70
100-03-014	C25-10	10	25	60	100-03-033	C42-14	14	42	70
100-03-015	C25-12	12	25	60	100-03-034	C42-16	16	42	70
100-03-016	C25-14	14	25	60	100-03-035	C42-18	18	42	70
100-03-017	C25-16	16	25	60	100-03-036	C42-20	20	42	70
100-03-018	C25-18	18	25	60	100-03-037	C42-25	25	42	70
100-03-019	C25-20	20	25	60	100-03-038	C42-32	32	42	70

